

Safety Data Sheet

Sealed Maintenance Free Lead-Acid Motorcycle Batteries Dry Charged Battery

Issued: 03/12/2019
Version: 1.0.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: Sealed Maintenance Free Lead-Acid Motorcycle Batteries Dry Charged Battery

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Battery with sulphuric acid.

1.3. Details of the supplier of the safety data sheet

Supplier

Company: Kramp UK Ltd
Address: Unit 5
Lancaster Way
Zip code: SG18 8YL
City: Biggleswade
Country: UNITED KINGDOM
E-mail: sales.uk@kramp.com
Phone: +44(0)1767 602 600

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24)).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: The product shall not be classified as hazardous according to the classification and labeling rules for substance and mixtures.

Most serious harmful effects: According to REACH, the product is an article and is consequently not subject to the requirement for a safety data sheet. The intact article does not pose any danger. This safety data sheet describes the danger of the mixture inside the article. Contact is only possible if the article is not intact. The mixture inside the article has the following hazardous characteristics:
Corrosive
May damage fertility. May damage the unborn child. May cause harm to breast-fed children.

2.2. Label elements

The product shall not be classified as hazardous according to the classification and labeling rules for substance and mixtures.

Supplemental information

According to REACH the product is an article and thus not subject to the requirements regarding labelling.

2.3. Other hazards

Assessment to determine PBT and vPvB has not been made.
Endocrine disrupting properties: None known.

SECTION 3: Composition/information on ingredients

Safety Data Sheet

Sealed Maintenance Free Lead-Acid Motorcycle Batteries Dry Charged Battery

Issued: 03/12/2019
Version: 1.0.0

3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes	CLP-classification
lead massive	7439-92-1 231-100-4	60 - 70 %	12, 14	Repr. 1A;H360FD Lact.;H362
sulphuric acid ... %	7664-93-9 231-639-5	25 - 30 %	12	Skin Corr. 1A;H314 5% ≤ C < 15%: Skin Irrit. 2; H315 C ≥ 15%: Skin Corr. 1A; H314 5% ≤ C < 15%: Eye Irrit. 2; H319

Please see section 16 for the full text of H- / EUH-phrases.

12 = The substance is included in the EU list of limit values for occupational exposure

14 = The substance is included in the candidate list (SVHC), Regulation 1907/2006/EC, Article 59.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:	Seek fresh air. Seek medical advice in case of persistent discomfort.
Ingestion:	Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Do not induce vomiting. Immediately call a POISON CENTER or doctor/physician.
Skin contact:	Immediately remove contaminated clothing. Wash the skin thoroughly with water and continue washing for a long time. Seek medical advice immediately.
Eye contact:	Open eye wide, remove any contact lenses and flush immediately with water (preferably using eye wash equipment). Seek medical advice immediately. Continue flushing until medical attention is obtained.
General:	When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

Ingestion may cause caustic burning in mouth, oesophagus and stomach. Pains in mouth, throat and stomach. Difficulty swallowing, feeling unwell and vomiting of blood. Brown spots and burns may appear in and around the mouth. Has a caustic burning effect and causes burning pain, reddening, blistering and burning sores if it comes in contact with skin. Eye contact may result in deep caustic burns, pain, tearing and cramping of the eyelids. Risk of serious eye injury and loss of sight. Prolonged or repeated inhalation of vapours may cause damage to the central nervous system. May damage fertility. May damage the unborn child.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. Ensure that medical personnel are aware of the material involved, and take precautions to protect themselves.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:	Extinguish with powder, foam or water mist. Use water or water mist to cool non-ignited stock.
Unsuitable extinguishing media:	Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

The product decomposes when combusted and the following toxic gases can be formed: hydrogen

5.3. Advice for firefighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air. Wear Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves.

Safety Data Sheet

Sealed Maintenance Free Lead-Acid Motorcycle Batteries Dry Charged Battery

Issued: 03/12/2019
Version: 1.0.0

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Stay upwind/keep distance from source. Stop leak if this can be done without risk.

For emergency responders: In addition to the above: Chemical protective suit equivalent to EN 943-2 is recommended.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Sweep up/collect spills for possible reuse or transfer to suitable waste containers. Caution! Causes burns. Rinse with water.

6.4. Reference to other sections

See section 8 for type of protective equipment.

See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Wash hands before breaks, before using restroom facilities, and at the end of work. Use the product under well-ventilated conditions.

A workplace assessment must be conducted to ensure that employees are not exposed to effects that may involve a risk during pregnancy.

7.2. Conditions for safe storage, including any incompatibilities

Store safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc. Store in a dry, cool, well-ventilated area.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit

Substance name	Time period	ppm	mg/m ³	fiber/cm ³	Remarks	Comments
sulphuric acid ... %	8h		0.05			

Measuring methods: Compliance with the stated occupational exposure limits may be checked by occupational hygiene measurements.

Legal basis: EH40/2005 Workplace exposure limits. Last amended January 2020.

8.2. Exposure controls

Appropriate engineering controls: Wear the personal protective equipment specified below.

Personal protective equipment, eyeface protection: Wear safety goggles/face protection. Eye protection must conform to EN 166.

Safety Data Sheet

Sealed Maintenance Free Lead-Acid Motorcycle Batteries Dry Charged Battery

Issued: 03/12/2019
Version: 1.0.0

Personal protective equipment, skin protection: Not required.

Personal protective equipment, hand protection: In the event of direct skin contact, wear protective gloves: Type of material: Butyl rubber. Breakthrough time has not been determined for the product. Change gloves often. Gloves must conform to EN 374.

Personal protective equipment, respiratory protection: Not required.

Environmental exposure controls: Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter	Value/unit
State	Battery with sulphuric acid.
Colour	No data
Odour	No data
Solubility	185 mg/L (20 °C) (Pb)

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	326 °C	Bly (Pb)
Freezing point	No data	
Initial boiling point and boiling range	> 600 °C	Bly (Pb)
Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	No data	
Flash Point		Non-flammable
Auto-ignition temperature	No data	
Decomposition temperature	No data	
pH (solution for use)	No data	
pH (concentrate)	No data	
Kinematic viscosity	No data	
Viscosity	No data	
Partition coefficient n-octanol/water	No data	
Vapour pressure	No data	
Density	No data	
Relative density	11.45	23,8 °C Bly (Pb)
Vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

9.2. Other information

Other Information: None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Liquid Reacts with the following: potassium / Sulphides (sum of dimethyl disulfide, dimethyl sulfide and methanethiol) / Graphite / Phosphor compounds. / Ester / Naphthas/petroleums / Strong alkalis/ Peroxides.

Safety Data Sheet

Sealed Maintenance Free Lead-Acid Motorcycle Batteries Dry Charged Battery

Issued: 03/12/2019
Version: 1.0.0

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions. However, the product may develop toxic fumes when heated.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Avoid heating and contact with ignition sources. Avoid contact with moisture and water.

10.5. Incompatible materials

Liquid Reacts with the following: potassium / Sulphides (sum of dimethyl disulfide, dimethyl sulfide and methanethiol) / Peroxides. / Phosphor compounds. / Ester / Naphthas/petroleums / Strong alkalis/ Graphite

10.6. Hazardous decomposition products

The product decomposes when combusted or heated to high temperatures and the following toxic gases can be formed: hydrogen

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral

lead massive, cas-no 7439-92-1

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000 mg/kg bw			

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - dermal

lead massive, cas-no 7439-92-1

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000 mg/kg bw			

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - inhalation

lead massive, cas-no 7439-92-1

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LC50	4 h	> 5.05 mg/l			

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Skin corrosion/irritation:

Has a caustic burning effect and causes burning pain, reddening, blistering and burning sores if it comes in contact with skin.

Serious eye damage/eye irritation:

Eye contact may result in deep caustic burns, pain, tearing and cramping of the eyelids. Risk of serious eye injury and loss of sight.

Respiratory sensitisation or skin sensitisation:

The product does not have to be classified. Test data are not available.

Germ cell mutagenicity:

The product does not have to be classified. Test data are not available.

Carcinogenic properties:

The product does not have to be classified. Test data are not available.

Safety Data Sheet

Sealed Maintenance Free Lead-Acid Motorcycle Batteries Dry Charged Battery

Issued: 03/12/2019
Version: 1.0.0

- Reproductive toxicity:** May damage fertility. May damage the unborn child. May cause harm to breast-fed children.
- Single STOT exposure:** The product does not have to be classified. Test data are not available.
- Repeated STOT exposure:** The product does not have to be classified. Test data are not available. Prolonged or repeated inhalation of vapours may cause damage to the central nervous system.
- Aspiration hazard:** The product does not have to be classified. Test data are not available.

11.2. Information on other hazards

- Endocrine disrupting properties:** None known.
- Other toxicological effects:** Ingestion may cause caustic burning in mouth, oesophagus and stomach. Pains in mouth, throat and stomach. Difficulty swallowing, feeling unwell and vomiting of blood. Brown spots and burns may appear in and around the mouth.

SECTION 12: Ecological information

12.1. Toxicity

lead massive, cas-no 7439-92-1

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Name of species not specified	96 h	LC50	1170 µg/l		OECD 203	

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

12.2. Persistence and degradability

Test data are not available.

12.3. Bioaccumulative potential

Test data are not available.

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

No assessment has been made.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

The product affects the pH value of the local aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid discharge to drain or surface water.

Safety Data Sheet

Sealed Maintenance Free Lead-Acid Motorcycle Batteries Dry Charged Battery

Issued: 03/12/2019
Version: 1.0.0

If this product as supplied becomes a waste, it meets the criteria of a hazardous waste (Dir. 2008/98/EU). Collect spills and waste in closed, leak-proof containers for disposal at the local hazardous waste site.

Category of waste:

EWC code: Depends on line of business and use, for instance 16 06 01* lead batteries
Absorbent/cloth contaminated with the product: EWC code: 15 02 02 absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	2794	14.4. Packing group:	
14.2. UN proper shipping name:	BATTERIES, WET, FILLED WITH ACID	14.5. Environmental hazards:	The product should not be labelled as an environmental hazard (symbol: fish and tree).
14.3. Transport hazard class(es):	8		
Hazard label(s):	8		
Hazard identification number:	80	Tunnel restriction code:	E

Inland water ways transport (ADN)

14.1. UN number or ID number:	2794	14.4. Packing group:	
14.2. UN proper shipping name:	BATTERIES, WET, FILLED WITH ACID	14.5. Environmental hazards:	The product should not be labelled as an environmental hazard (symbol: fish and tree).
14.3. Transport hazard class(es):	8		
Hazard label(s):	8		
Transport in tank vessels:			

Sea transport (IMDG)

14.1. UN number or ID number:	2794	14.4. Packing group:	
14.2. UN proper shipping name:	BATTERIES, WET, FILLED WITH ACID	14.5. Environmental hazards:	The product is not a Marine Pollutant (MP).
14.3. Transport hazard class(es):	8	Environmental Hazardous Substance Name(s):	
Hazard label(s):	8		
EmS:	F-A, S-B	IMDG Code segregation group:	Segr. grp. 1 - Acids (SGG1)

Air transport (ICAO-TI / IATA-DGR)

14.1. UN number or ID number:	2794	14.4. Packing group:	
14.2. UN proper shipping name:	BATTERIES, WET, FILLED WITH ACID	14.5. Environmental hazards:	The product should not be labelled as an environmental hazard (symbol: fish and tree).
14.3. Transport hazard class(es):	8		
Hazard label(s):	8		

14.6. Special precautions for user

None.

14.7. Maritime transport in bulk according to IMO instruments

Safety Data Sheet

Sealed Maintenance Free Lead-Acid Motorcycle Batteries Dry Charged Battery

Issued: 03/12/2019
Version: 1.0.0

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions: Special care should be applied for employees under the age of 18. Young people under the age of 18 may not carry out any work causing harmful exposure to this product. The product contains at least one substance comprised by Regulation 1907/2006/EC "The Registration, Evaluation and Authorization of Chemicals" as amended by the stationary UK REACH etc. (EU Exit), Article 59 (SVHC).

Covered by:
Council Directive (EC) on the protection of young people at work.
Council Directive 92/85/EEC of 19 October 1992 on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding.

15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

SECTION 16: Other information

Version history and indication of changes

Version	Revision date	Responsible	Changes
1.0.0	03/12/2019	Bureau Veritas HSE - DOL	New

Abbreviations: PBT: Persistent, Bioaccumulative and Toxic
STOT: Specific Target Organ Toxicity
vPvB: Very Persistent and Very Bioaccumulative

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with Regulation 1907/2006/EC "The Registration, Evaluation and Authorization of Chemicals" as amended by the stationary UK REACH etc. (EU Exit) as subsequently changed.

Training advice: A thorough knowledge of this safety data sheet should be a prerequisite condition.

Classification method: Calculation based on the hazards of the known components. Test data.

List of relevant H-statements

H314 Causes severe skin burns and eye damage.
H360FD May damage fertility. May damage the unborn child.
H362 May cause harm to breast-fed children.

SDS is prepared by

Company: Bureau Veritas HSE Denmark A/S
Address: Oldenborggade 25-31
Zip code: 7000

Safety Data Sheet

Sealed Maintenance Free Lead-Acid Motorcycle Batteries Dry Charged Battery

Issued: 03/12/2019
Version: 1.0.0

City: Fredericia
Country: DENMARK
E-mail: infohse@bureauveritas.com
Phone: +45 77 31 10 00
Homepage: www.bureauveritas.dk

Country: GB