

Replaces date: 20/06/2018 Revision date: 07/08/2020 Version: 2.0.0

SECTION 1: Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier

Trade name: KRAMP ANTIFREEZE K11

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Anti-freezing agents.

1.3. Details of the supplier of the safety data sheet

Supplier

Company: Kramp UK Ltd

Address: Unit 5

Zip code: SG18 8YL
City: Biggleswade

Country: UNITED KINGDOM SDS@kramp.com +44(0)1767 602 600

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24))

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: Acute Tox. 4;H302 Eye Irrit. 2;H319 STOT RE 2;H373

Most serious harmful effects: Harmful if swallowed. Causes serious eye irritation. May cause damage to organs through

prolonged or repeated exposure. The product releases organic solvent vapours which may cause lethargy and dizziness. At high concentrations, the vapours may cause headache and intoxication. Can be absorbed through the skin causing symptoms such as dizziness and headache. The product contains a substance which is a suspected reproductive

hazard.

2.2. Label elements

Pictograms



Signal word: Warning

Contains

Substance: ethanediol

H-phrases

H302 Harmful if swallowed.



Replaces date: 20/06/2018 Revision date: 07/08/2020

Version: 2.0.0

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

P-phrases

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear eye protection/face protection.

P301+312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local regulation.

2.3. Other hazards

The product does not contain any PBT or vPvB substances.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No	EC No	REACH Reg. No.	Concentration	Notes	CLP- classification
ethanediol	107-21-1	203-473-3	01-2119456816- 28	90 - 96%		Acute Tox. 4;H302 STOT RE 2;H373
potassium 2- ethylhexanoate	3164-85-0	221-625-7	01-2119980714- 29	1 -< 3%		Skin Irrit. 2;H315 Eye Dam. 1;H318 Repr. 2;H361d

Please see section 16 for the full text of H-phrases.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation: Seek fresh air. Seek medical advice in case of persistent discomfort.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Do not induce

vomiting. Seek medical advice in case of discomfort.

Skin contact: Remove contaminated clothing. Wash the skin with water. Seek medical advice in case of

persistent discomfort.

Eye contact: Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes.

Open eye wide. Remove any contact lenses. Seek medical advice.

General: When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

Harmful if swallowed. Irritating to eyes. Causes a burning sensation and tearing. May cause damage to organs through prolonged or repeated exposure. The product releases organic solvent vapours which may cause lethargy and dizziness. At high concentrations, the vapours may cause headache and intoxication. Can be absorbed through the skin causing symptoms such as dizziness and headache. The product contains at least one substance which is a suspected reproductive hazard.

4.3. Indication of any immediate medical attention and special treatment needed

No special immediate treatment required. Treat symptoms.

SECTION 5: Fire-fighting measures



Replaces date: 20/06/2018 Revision date: 07/08/2020

Version: 2.0.0

5.1. Extinguishing media

Suitable extinguishing media: Extinguish with powder, foam or water mist. Use water or water mist to cool non-ignited

stock.

Unsuitable extinguishing

media:

Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

The product decomposes when combusted and the following toxic gases can be formed: Nitrous gases/ Carbon monoxide and carbon dioxide.

5.3. Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Stay upwind/keep distance from source. Stop leak if this can be done without risk. Keep

unnecessary personnel away. Wear gloves. Wear respiratory protective equipment. Wear safety goggles. Take precautionary measures against static discharges. Use spark-free

tools and explosion proof equipment.

For emergency responders: In addition to the above: Protective suit equivalent to EN 368, type 3, is recommended.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Wipe up minor spills with a cloth.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Work under effective process ventilation (e.g. local exhaust ventilation). Running water and eye wash equipment must be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

A workplace assessment must be conducted to ensure that employees are not exposed to effects that may involve a risk during pregnancy.

7.2. Conditions for safe storage, including any incompatibilities

Store safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc. Store in a dry, cool, well-ventilated area. Keep in tightly closed original packaging. Do not expose to heat (e.g. sunlight). Do not store with the following: Oxidisers.

7.3. Specific end use(s)

None.



Replaces date: 20/06/2018 Revision date: 07/08/2020

Version: 2.0.0

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit

Substance name	Time period	ppm	mg/m³	fiber/cm3	Comments	Remarks
ethanediol	8h		10		Particulate	Sk
ethanediol	8h	20	52		vapour	Sk
ethanediol	15m				Particulate	Sk
ethanediol	15m	40	104		vapour	Sk

Sk = Can be absorbed through the skin.

Measuring methods: Compliance with the stated occupational exposure limits may be checked by occupational

hygiene measurements.

Legal basis: EH40/2005 Workplace exposure limits. Last amended January 2020.

PNEC

ethanediol, cas-no 107-2	1-1			
Exposure	Value	Assessment Factor	Extrapolation Method	Note
PNEC aqua (freshwater)	10 mg/l			
PNEC aqua (marine water)	1 mg/l			
PNEC aqua (intermittent releases)	10 mg/l			
PNEC STP (wastewater-treatment facilities)	199,5 mg/l			
PNEC sediment (freshwater)	37 mg/kg dw			
PNEC sediment (marine water)	3,7 mg/kg dw			
PNEC soil	1,53 mg/kg dw			
potassium 2-ethylhexano	ate, cas-no 3164-85-0			
Exposure	Value	Assessment Factor	Extrapolation Method	Note
PNEC aqua (freshwater)	0,36 mg/l			
PNEC aqua (marine water)	0,036 mg/l			
PNEC aqua (intermittent releases)	0,493 mg/l			
PNEC STP (wastewater-treatment facilities)	71,7 mg/l			
PNEC sediment (freshwater)	6,37 mg/kg dw			
PNEC sediment (marine water)	0,637 mg/kg dw			
PNEC soil	1,06 mg/kg dw			

DNEL - workers

ethanediol, cas-no 107-21-1						
	Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note



Replaces date: 20/06/2018 Revision date: 07/08/2020

Version: 2.0.0

Dermal DNEL (long- term exposure - systemic effects)	106 mg/kg bw/day				
Inhalation DNEL (long-term exposure - local effects)	35 mg/m³				
potassium 2-ethylhexanoate, cas-no 3164-85-0					
				NA . t . I	

Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note
Dermal DNEL (long- term exposure - systemic effects)	12 mg/kg bw/day				
Inhalation DNEL (long-term exposure - systemic effects)	8 mg/m³				

DNEL - general population

ethanedial cas no 107-21-1

etnanediol, cas-no 107-21-1					
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note
Dermal DNEL (long- term exposure - systemic effects)	53 mg/kg bw/day				
Inhalation DNEL (long-term exposure - local effects)	7 mg/m³				
potassium 2-ethylhexanoate, cas-no 3164-85-0					

r	otassium	2-eth	ylhexanoate,	cas-no	3164-85-0

Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note
Oral DNEL (long- term exposure - systemic effects)	2,5 mg/kg bw/day				
Dermal DNEL (long- term exposure - systemic effects)	6 mg/kg bw/day				
Inhalation DNEL (long-term exposure - systemic effects)	8 mg/m³				

8.2. Exposure controls

Personal protective equipment, Wear safety goggles. Eye protection must conform to EN 166. eye/face protection:

hand protection:

Personal protective equipment, Wear gloves. Type of material: Nitrile rubber. Breakthrough time has not been determined for the product. Change gloves often. Gloves must conform to EN 374.

> The suitability and durability of a glove is dependant on usage, e.g. frequency and duration of contact, glove material thickness, functionality and chemical resistance. Always seek advice from the glove supplier.

respiratory protection:

Personal protective equipment, Light use (small volume, shortterm contact (below 10 min.)): Wear respiratory protective equipment. Filter type: A. P.

> Medium use (medium volume, medium contact (1-2 hours)): Wear fresh air respiratory protective equipment. Respiratory protection must conform to one of the following

standards: EN 136/140/145.

Environmental exposure controls:

Ensure compliance with local regulations for emissions.



Replaces date: 20/06/2018 Revision date: 07/08/2020 Version: 2.0.0

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter	Value/unit			
State	Liquid			
Colour	Different			
Odour	No data			
Solubility	Solubility in water: Completely miscible			
Explosive properties	Non-explosive			
Oxidising properties	No data			

Parameter	Value/unit	Remarks
pH (solution for use)	7.5 - 9	ASTM D 1287, 50%
pH (concentrate)	No data	
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	170 - 185 °C	ASTM D 1120
Flash Point	111 °C	(closed cup) ethanediol
Evaporation rate	No data	
Flammability (solid, gas)	No data	
Flammability limits	398 °C	ethanediol
Explosion limits	No data	
Vapour pressure	No data	
Vapour density	No data	
Relative density	No data	
Partition coefficient n-octonol/water	No data	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
Viscosity	No data	
Odour threshold	No data	

9.2 Other information

Paramete	Value/unit	Remarks
Density	1,110 - 1,1402 g/cm3	

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with the following: Oxidisers.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

Product vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.

10.4. Conditions to avoid

Avoid heating and contact with ignition sources.

10.5. Incompatible materials

Oxidisers.



Replaces date: 20/06/2018 Revision date: 07/08/2020

Version: 2.0.0

10.6. Hazardous decomposition products

The product decomposes when combusted or heated to high temperatures and the following toxic gases can be formed: Nitrous gases/ Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

potassium 2-ethylhexanoate, cas-no 3164-85-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		2043mg/kg		OECD 401	

Harmful if swallowed.

Acute toxicity - dermal

ethanediol, cas-no 107-21-1

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Mouse	LD50		> 3500			

potassium 2-ethylhexanoate, cas-no 3164-85-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000mg/kg		OECD 402	

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - inhalation ethanediol, cas-no 107-21-1

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat		6 h	> 2.5mg/l			

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Skin corrosion/irritation: May cause slight irritation. The product does not have to be classified. Test data are not

available

Serious eye damage/eye

irritation:

Irritating to eyes. Causes a burning sensation and tearing.

Respiratory sensitisation or

skin sensitisation:

The product does not have to be classified. Test data are not available.

Germ cell mutagenicity: The product does not have to be classified. Test data are not available.

Carcinogenic properties: The product does not have to be classified. Test data are not available.

Reproductive toxicity: The product does not have to be classified. Test data are not available. The product

contains at least one substance which is a suspected reproductive hazard.

Single STOT exposure: The product releases organic solvent vapours which may cause lethargy and dizziness. At

high concentrations, the vapours may cause headache and intoxication. Can be absorbed through the skin causing symptoms such as dizziness and headache. The product does not

have to be classified. Test data are not available.

Repeated STOT exposure: May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard: The product does not have to be classified. Test data are not available.



Replaces date: 20/06/2018 Revision date: 07/08/2020

Version: 2.0.0

Other toxicological effects: None known.

SECTION 12: Ecological information

12.1. Toxicity

ethanediol, cas-no 107-21-1

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Pimephales promelas		96hLC50	72860mg/l		EPA 600/4-90- 027	
Bacteria	Name of species not specified	0,5 h	EC20	> 1995mg/m²		ISO 8192	
Algae	Name of species not specified		96hEC50	6500 - 13000mg/l		EPA 600/9-78- 018	
Crustacea	Daphnia magna		48hEC50	> 100mg/l		OECD 202	
Crustacea	Ceriodaphnia dubia		NOEC	8590mg/l		EPA 600/4- 89/001	
Fish	Pimephales promelas		NOEC	15380mg/l		EPA 600/4- 89/001	

potassium 2-ethylhexanoate, cas-no 3164-85-0

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Oryzias latipes		96hLC50	> 100mg/l		OECD 203	
Crustacea	Daphnia magna		48hEC50	85.4mg/l		Directive 79/831/EEC, Annex V, Part C.	
Bacteria	Pseudomonas putida	17 h	EC50	112.1mg/l		DIN 38412/8	
Algae	Desmodesmus subspicatus		72hEC50	49.3mg/l			
Crustacea	Daphnia magna		21dNOEC	25mg/l		OECD 211	

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

12.2. Persistence and degradability

potassium 2-ethylhexanoate, cas-no 3164-85-0

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
		28 d		99%		OECD 301 E	

Expected to be biodegradable.

12.3. Bioaccumulative potential

ethanediol. cas-no 107-21-1

• • • • • • • • • • • • • • • • • • • •									
Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source		
			Log Pow	-1.36					

potassium 2-ethylhexanoate, cas-no 3164-85-0

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
			Log Pow	2.96		OECD 107	
			Log Koc	2.15			

The product contains at least one substance with low bioaccumulative potential.



Replaces date: 20/06/2018 Revision date: 07/08/2020

Version: 2.0.0

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid discharge to drain or surface water.

If this product as supplied becomes a waste, it meets the criteria of a hazardous waste (Dir. 2008/98/EU). Collect spills and waste in closed, leak-proof containers for disposal at the local hazardous waste site.

Uncleansed packaging is to be disposed of via the local waste-removal scheme.

Category of waste:

EWC code: Depends on line of business and use, for instance 16 01 14* antifreeze fluids containing hazardous substances

Wiping cloths with organic solvents: EWC code: 15 02 02 Absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances.

SECTION 14: Transport information

14.1. UN-No.:Not applicable.14.4. Packing group:Not applicable.14.2. UN proper shippingNot applicable.14.5. EnvironmentalNot applicable.

name: hazards:

14.3. Transport hazard

class(es):

Not applicable.

Inland water ways transport (ADN)

14.1. UN-No.:Not applicable.14.4. Packing group:Not applicable.14.2. UN proper shipping name:Not applicable.14.5. Environmental hazards:Not applicable.

14.3. Transport hazard

class(es):

Not applicable.

Sea transport (IMDG)

14.1. UN-No.:Not applicable.14.4. Packing group:Not applicable.14.2. UN proper shipping name:Not applicable.14.5. Environmental hazards:Not applicable.

14.3. Transport hazard Not applicable.

class(es):

Air transport (ICAO-TI / IATA-DGR)

14.1. UN-No.:Not applicable.14.4. Packing group:Not applicable.14.2. UN proper shipping name:Not applicable.14.5. Environmental hazards:Not applicable.

14.3. Transport hazard Not applicable.

class(es):



Replaces date: 20/06/2018 Revision date: 07/08/2020

Version: 2.0.0

14.6. Special precautions for user

None.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions: Special care should be applied for employees under the age of 18. Young people under the

age of 18 may not carry out any work causing harmful exposure to this product.

Covered by:

Council Directive (EC) on the protection of young people at work.

Council Directive (EC) on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or

are breastfeeding.

15.2. Chemical Safety Assessment

REACH Reg. No.	Substance name
01-2119456816-28	ethanediol
01-2119980714-29	potassium 2-ethylhexanoate

SECTION 16: Other information

Version history and indication of changes

Version Revision date		Responsible	Changes
2.0.0	07/08/2020	Bureau Veritas HSE - DOL	1-16

Abbreviations: vPvB: Very Persistent and Very Bioaccumulative

PBT: Persistent, Bioaccumulative and Toxic STOT: Specific Target Organ Toxicity DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on

preparation of safety data sheets in accordance with 1907/2006/EC (REACH) as

subsequently changed.

Training advice: A thorough knowledge of this safety data sheet should be a prerequisite condition.

Classification method: Calculation based on the hazards of the known components.

List of relevant H-statements

H302
 H315
 H318
 Causes skin irritation.
 H318
 Causes serious eye damage.
 H319
 Causes serious eye irritation.

H361d Suspected of damaging the unborn child.



Replaces date: 20/06/2018 Revision date: 07/08/2020

Version: 2.0.0

H373 May cause damage to organs through prolonged or repeated exposure.

SDS is prepared by

Company: Bureau Veritas HSE Denmark A/S

Address: Oldenborggade 25-31

Zip code: 7000 Fredericia City: Country: **DENMARK**

E-mail: infohse@dk.bureauveritas.com

Phone: +45 77 31 10 00

Homepage: http://www.hse.bureauveritas.dk

GB **Document language:**